## Aphid Management in Desert Produce Crops - 2024

**Relative Efficacy Index For Aphids in Desert** 



COLLEGE OF AGRICULTURE AND LIFE SCIENCES

COOPERATIVE EXTENSION Yuma Agricultural Center

	IRAC	Green	Potato	A.	Foxglove	Lettuce	Cabbage	
Product	MOA	peach	aphid	lactuca <sup>1</sup>	aphid	aphid <sup>2</sup>	aphid	Comments*
Lannate	1A							Tank mix with another product ; provides thrips control; PHI: 10 d on lettuce;.
Dimethoate	1B							Tank mix with another product ; has some thrips activity; PHI: 7 d on broccoli, cauliflower; 14 d on leaf lettuce
Orthene	1B							Tank mix with another product ; provides thrips control; PHI: 21 d for head lettuce and celery ; 7 d on cauliflower
Bifenthrin	3							Numerous generics available; tank mix with another product at >4 oz for best control; PHI:
Imidacloprid	4A							Admire Pro and generics; Soil: use top of label rate for higher best residual aphid control; PHI: 21 d on all crops
Platinum/ Durivo/Actara	4A							Soil: use highest rate for residual aphid control; PHI: 30d on all crops; effective as post-plant side dress . Foliar: use high label rate, PHI: 7 d
Assail	4A							Use at high rates (4 oz for Assail 30G); PHI: 7 d on leafy vegetables and Cole crops
Sequoia	4C					**		Use at higher rates (3.0 oz) when lettuce aphid present; PHI: 3 d on leafy vegetables
Sivanto	4D					**		Use at high rates (>10 oz) when lettuce aphid present; PHI: 1 d on leafy vegetables and Cole crops;
Versys	9D				**	**		Use at higher rates (>1.5 oz) when foxglove and lettuce aphid present; PHI: 0 d on leafy vegetables
PQZ	9B				**	**		Use at higher rates (3.2 oz) when foxglove and lettuce aphid present; PHI: 1 d on leafy vegetables
Fulfill	9B							Tank mix with another product for green peach aphid, foxglove aphids; Initiate sprays at first signs of aphids, PHI: 7 d
Beleaf	29					**		Use at high rates (2.8 oz); PHI: 0 d on leafy vegetables and cole crops
Movento	23							Use a penetrating adjuvant at 0.25%v/v or higher; PHI: 1 d for Cole crops, 3 d for leafy vegetables

Good residual control Marginal control; suppression Poor control <sup>1</sup> Acyrthosiphon lactucae ; no common name

<sup>2</sup> Nasonovia ribisnigri; aka "red aphid"

\* Always consult the label before applying any of these products on leafy vegetables or cole crops.

\*\* Has activity, but best control achieved on smaller, open plants when aphids are exposed to direct sprays.