

COLLEGE OF AGRICULTURE AND LIFE SCIENCES COOPERATIVE EXTENSION Arizona Pest Management Center

Spray Legally: Summary of Enlist™, Engenia® and Xtendimax® Application Use Requirements on Cotton

William B. McCloskey¹, Naomi M. Pier²

University of Arizona, ¹Extension Weed Specialist, ²Assistant in Extension

Enlist[™] One and Enlist Duo are water-based formulations of 2,4-D that can only be sprayed on cotton varieties with Enlist traits. XtendiMax[®] with VaporGrip[®] Technology and Engenia[®] Herbicide are water-based formulations of dicamba that can only be sprayed on cotton varieties with XtendFlex traits. The EPA labels for these 2,4-D and dicamba products include many requirements designed to reduce off-target movement and help limit damage to downwind crops and other susceptible plants. These are summarized in this table comparing 2,4-D and dicamba herbicide products. Check labels and websites for current requirements before spraying. 5/2019

A PDF of this is available on-line at: <u>https://cals.arizona.edu/crops/cotton/files/auxinsummary.pdf</u>

Requirements	Enlist One & Enlist Duo	Engenia & XtendiMax
Check websites within 7 days	www.EnlistTankmix.com	www.EngeniaTankmix.com
, before spraying		www.XtendimaxApplicationRequirements.com
Restricted Use Pesticide?	NO	YES – Applicator must have certified applicator license
Training	Corteva applicator training	BASF or Bayer applicator training
Record keeping	Recommended – standard record keeping	Required – Record keeping on restricted use pesticides by certified
1 0	needed for 1080 form and for grower use	applicators (7 CFR Part 110),
		Records must be generated within 72 hr. and kept for two years.
Glyphosate tank-mix	Droplet size NOT reduced; Drift Reduction	Droplet size reduced; Drift Reduction Agent required
-,,,,	Agent not required	
Glufosinate tank-mix	Allowed	NOT allowed
Herbicide tank-mixtures Only herbicides, other pesticides, drift reduction agents, and other adjuvants listed on labels or websites (see		
above) are allowed. Website must be checked within 7 days before spraying.		
Application volumes	10 – 15 gallons per acre	Minimum of 15 gallons per acre
Maximum rate per acre	2 pints (Enlist One);	12.8 fl. oz. (Engenia);
	4.75 pints (Enlist Duo)	22 fl. oz. in season, 44 fl. oz. preemergence/preplant (Xtendimax)
Maximum applications per	3: one burndown spray before cotton	3 or 4: 1 or 2 burndown sprays before cotton emergence depending
year	emergence; two postemergence	on rate; two postemergence (maximum 2 lb ae/acre per season)
Sequential applications	Minimum of 12 days apart	Minimum of 7 days apart
Application window	Up to mid-bloom	Up to 60 days after planting or mid-bloom, whichever comes first
Nozzles Only nozzles and pressure combinations listed on labels or websites (see above) are allowed.		
Wind speed	3 to 10 MPH recommended;	3 to 10 MPH
(includes gusts)	3 to 15 MPH allowed	
Boom height	Use the minimum boom height above	Boom height based on nozzle selection and nozzle spacing but do
	target canopy based on nozzle	not exceed 24 inches above target canopy
Construction and a set	manufacturer's directions	
Sprayer speed	15 MPH maximum	15 MPH maximum
Temperature inversions	Do NOT spray during inversions; spray from	Do NOT spray during inversions; spray from 1 hour after sunrise to 2
Susceptible crops in	sunrise to sunset	hours before sunset
downwind field	Do NOT spray – Sensitive crops include grapes, melons, cotton and many other broadleaf plants including those in residential areas	
Sprayer clean out	Clean at end of day; use triple rinse procedur	es on labels
Endangered species &	30 foot buffer on downwind side of field	220 foot buffer for >22 to 44 fl. oz. per acre
sensitive area concerns:		110 foot buffer for ≤22 fl. oz. per acre on downwind side of field.
Check labels for types of		Applicator must check EPA website: http://www.epa.gov/espp
areas that can be included in		within 6 months of application to determine if 57 foot buffers are
the buffer distances.		required on the other sides of field
Area restrictions	<u>Enlist One</u> : Do not use in Yuma, La Paz,	Restrictions on spraying field edges and buffer requirements where
	Maricopa, Pinal, Pima and Santa Cruz	endangered species are present. Visit <u>http://www.epa.gov/espp</u> or
	Counties.	http://www.epa.gov/endangered-species or call 1-844-447-3813
	Enlist Duo: Do not use south of I-8 and west	within 6 months of application for specifics.
	of Highway 85 in Arizona or on land	
	administered by the US Fish & Wildlife Service or National Park Service in the	
	above counties.	
	above counties.	

Other Resources:

McCloskey, W.B., Pier, N.M. 2019. Avoiding 2,4-D and Dicamba Off-Target Movement from Cotton. <u>http://cals.arizona.edu/crops/cotton/files/auxin.pdf</u>

Material based upon work supported in part by the U.S. Department of Agriculture National Institute of Food and Agriculture (USDA-NIFA) under the Crop Protection and Pest Management, Extension Implementation Program, award number 2017-70006-27145. Any findings, recommendations, services, or organizations that are mentioned, shown, or indirectly implied in this publication do not imply endorsement by the University of Arizona or the USDA.