

Areawide Insect Trapping Network



COLLEGE OF AGRICULTURE
AND LIFE SCIENCES
COOPERATIVE EXTENSION
Yuma Agricultural Center

The project is designed to measure the activity and movement of adult populations of several key pests. The project is being funded by the *Arizona Iceberg Lettuce Research Council* and will hopefully provide an indication of when pest activity (e.g., corn earworm moth flights) is increasing based on pheromone / sticky trap captures.

The data is not intended to indicate field infestations, as trap data is largely a reflection of adult movement. If nothing else, the data may make PCAs aware of increased pest activity in some areas and encourage intensified scouting in susceptible produce fields.

The pests being monitored include corn earworm, beet armyworm, cabbage looper using pheromone traps; aphids, thrips, leafminers and whiteflies using yellow sticky traps. Traps are checked weekly and data is available in the bi-weekly Veg IPM updates. If a PCA or grower is interested in weekly counts, those can be made available by contacting us. A total of 15 trapping locations have been established in the following areas (approximate location):

Trap Locations

| | | |
|-----------|--------------------------|---------------------------------|
| 1 | Texas Hill | 50E and Co. 2 St. |
| 2 | Tacna/Roll | 39E and Co. 4 St. |
| 3 | Roll/Wellton | 32E and Co. 8 St. |
| 4 | Wellton | 27E and Co. 10 St. |
| 5 | Dome Valley | 21E and Co. 8 St. |
| 6 | Dome Valley | 16E and Co. 6 St. |
| 7 | East Gila Valley | 10E and Hwy 95 |
| 8 | North Gila Valley | Laguna Dam Rd / Co. 3 St |
| 9 | South Gila Valley | 5E and Hwy 95 |
| 10 | Yuma Valley | Co. 14 and Ave D |
| 11 | Yuma Valley | Co. 19 and Ave G |
| 12 | Yuma Valley | Co. 22 and Ave H |
| 13 | Yuma Valley | Co. 16 and Ave J |
| 14 | Yuma Valley | Co. 12 and Ave H |
| 15 | Yuma Valley | Co. 8 and Ave E |
| 16 | Bard | Hoppe and Flood Rds |


Area-wide Insect Trapping Network

North Gila Valley

Corn earworm


Whiteflies
Aphids
Thrips
Leafminers

Beet armyworm
Cabbage looper




2020-2021

Corn Earworm




8 Year Average

Corn Earworm Moths / Trap / Night (Avg. of 15 trap locations)




2020-2021

Beet Armyworm




8 Year Average

Beet Armyworm Moths / Trap / Night (Avg. of 15 trap locations)




2020-2021

Cabbage looper




8 Year Average

Cabbage looper Moths / Trap / Night (Avg. of 15 trap locations)




2020-2021

Whiteflies




8 Year Average

Whiteflies / Trap / Day (Avg. of 15 trap locations)




2020-2021

Western flower Thrips




8 Year Average

Thrips / Trap / Day (Avg. of 15 trap locations)




2020-2021

Aphids




8 Year Average

Aphids / Trap / Day (Avg. of 15 trap locations)



2020-2021

Leafminers



8 Year Average

Leafminer / Trap / Day (Avg. of 15 trap locations)

